



**CERTIFICATE POLICY AND CERTIFICATION
PRACTICE STATEMENT
VERSION 2.1**

Info Tech, Inc., DBA Infotech
2970 SW 50th Terrace Gainesville, FL 32608

July 13, 2021

Contents

- 1. INTRODUCTION 9**
 - 1.1 Overview 9**
 - 1.2 Document Name and Identification..... 9**
 - 1.3 PKI Participants 9**
 - 1.3.1 Certification Authority9
 - 1.3.2 Registration Authorities..... 10
 - 1.3.3 Subscribers (End Entities) 10
 - 1.3.4 Relying Parties 10
 - 1.3.5 Other Participants..... 10
 - 1.4 Certificate Usage..... 10**
 - 1.4.1 Appropriate Certificate Uses 10
 - 1.4.2 Prohibited Certificate Uses 11
 - 1.5 Policy Administration..... 11**
 - 1.5.1 Organization Administering the Document 11
 - 1.5.2 Contact Person..... 11
 - 1.5.3 Person Determining CPS Suitability for the Policy..... 11
 - 1.5.4 CPS approval procedures..... 11
 - 1.6 Definitions and Acronyms 11**
- 2. PUBLICATION AND REPOSITORY RESPONSIBILITIES..... 12**
 - 2.1 Repositories 12**
 - 2.2 Publication of Certification Information 12**
 - 2.3 Time or Frequency of Publication 13**
 - 2.4 Access Controls on Repositories..... 13**
- 3. IDENTIFICATION AND AUTHENTICATION 13**
 - 3.1 Naming 13**
 - 3.1.1 Types of Names 13
 - 3.1.2 Need for Names to be Meaningful 13
 - 3.1.3 Anonymity or Pseudonymity of Subscribers..... 13
 - 3.1.4 Rules for Interpreting Various Name Forms 13
 - 3.1.5 Uniqueness of Names 14
 - 3.2 Initial Identity Validation..... 14**
 - 3.2.1 Method to Prove Possession of Private Key 14

3.2.2 Authentication of Organization Identity	14
3.2.3 Authentication of Individual Identity	14
3.2.4 Non-Verified Subscriber Information	15
3.2.5 Validation of Authority	15
3.2.6 Criteria for Interoperation	15
3.3 Identification and Authentication for Re-Key Requests	16
3.3.1 Identification and Authentication for Routine Re-Key	16
3.3.2 Identification and Authentication for Re-Key after Revocation	16
3.4 Identification and Authentication for Revocation Request	16
4. CERTIFICATE LIFE-CYCLE OPERATIONAL REQUIREMENTS.....	16
4.1 Certificate Application	16
4.1.1 Who can Submit a Certificate Application	16
4.1.2 Enrollment Process and Responsibilities	16
4.2 Certificate Application Processing	17
4.2.1 Performing Identification and Authentication Functions	17
4.2.2 Approval or Rejection of Certificate Applications	17
4.2.3 Time to Process Certificate Applications	17
4.3 Certificate Issuance	17
4.3.1 CA Actions during Certificate Issuance	17
4.3.2 Notification to Subscriber by the CA of Issuance of Certificate	18
4.4 Certificate Acceptance.....	18
4.4.1 Conduct Constituting Certificate Acceptance	18
4.4.2 Publication of the Certificate by the CA	18
4.4.3 Notification of Certificate Issuance by the CA to Other Entities	18
4.5 Key Pair and Certificate Usage.....	18
4.5.1 Subscriber Private Key and Certificate Usage	18
4.5.2 Relying Party Public Key and Certificate Usage	19
4.6 Certificate Renewal.....	19
4.6.1 Circumstance for Certificate Renewal	19
4.6.2 Who May Request Renewal	19
4.6.3 Processing Certificate Renewal Requests	20
4.6.4 Notification of New Certificate Issuance to Subscriber	20
4.6.5 Conduct constituting acceptance of a renewal certificate	20
4.6.6 Publication of the renewal certificate by the CA	20
4.6.7 Notification of certificate issuance by the CA to other entities	20
4.7 Certificate Re-Key.....	20
4.7.1 Circumstance for Certificate Re-Key	20

4.7.2 Notification of New Certificate Issuance to Subscriber.....	20
4.7.3 Conduct Constituting Acceptance of a Re-Keypad Certificate.....	20
4.7.4 Publication of the Re-Keypad Certificate by the CA.....	20
4.7.5 Notification of Certificate Issuance by the CA to Other Entities.....	20
4.8 Certificate Modification.....	21
4.8.1 Circumstance for Certificate Modification.....	21
4.9 Certificate Revocation and Suspension.....	21
4.9.1 Circumstances for Revocation.....	21
4.9.2 Who can Request Revocation.....	21
4.9.3 Procedure for Revocation Request.....	21
4.9.4 Revocation Request Grace Period.....	21
4.9.5 Time Within which CA Must Process the Revocation Request.....	22
4.9.6 Revocation Checking Requirement for Relying Parties.....	22
4.9.7 CRL Issuance Frequency.....	22
4.9.8 Maximum Latency for CRLs.....	22
4.9.9 Circumstances for Suspension.....	22
4.10 Certificate Status Services.....	22
4.11 End of Subscription.....	22
4.12 Key Escrow and Recovery.....	22
5. FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS.....	23
5.1 Physical Controls.....	23
5.1.1 Site Location and Construction.....	23
5.1.2 Cloud Vendor.....	23
5.1.3 Off-Site Backup.....	23
5.2 Procedural Controls.....	23
5.2.1 Trusted Roles.....	23
5.2.2 Number of Persons Required per Task.....	24
5.2.3 Identification and Authentication for Each Role.....	24
5.2.4 Roles Requiring Separation of Duties.....	24
5.3 Personnel Controls.....	24
5.3.1 Qualifications, Experience, and Clearance Requirements.....	24
5.3.2 Background Check Procedures.....	25
5.3.3 Training Requirements.....	25
5.3.4 Retraining Frequency and Requirements.....	25
5.3.5 Job Rotation Frequency and Sequence.....	25
5.3.6 Sanctions for Unauthorized Actions.....	25
5.3.7 Independent Contractor Requirements.....	26

5.3.8 Documentation Supplied to Personnel	26
5.4 Audit Logging Procedures	26
5.4.1 Types of Events Recorded	26
5.4.2 Frequency of Processing Log	27
5.4.3 Retention Period for Audit Log	27
5.4.4 Protection of Audit Log.....	27
5.4.5 Audit Log Backup Procedures	27
5.4.6 Audit Collection System (Internal vs. External)	27
5.4.7 Notification to Event–Causing Subject	27
5.4.8 Vulnerability Assessments.....	27
5.5 Records Archival	28
5.5.1 Types of Records Archived	28
5.5.2 Retention Period for Archive.....	28
5.5.3 Protection of Archive	28
5.5.4 Archive Backup Procedures.....	28
5.5.5 Requirements for Time–Stamping of Records	28
5.5.6 Archive Collection System (Internal or External)	29
5.5.7 Procedures to Obtain and Verify Archive Information.....	29
5.6 Key Changeover	29
5.7 Compromise and Disaster Recovery	29
5.7.1 Incident and Compromise Handling Procedures	29
5.7.2 Computing Resources, Software, and/or Data are Corrupted	29
5.7.3 Entity Private Key Compromise Procedures.....	29
5.7.4 Business Continuity Capabilities after a Disaster.....	29
5.8 CA or RA Termination.....	29
6. TECHNICAL SECURITY CONTROLS	30
6.1 Key Pair Generation and Installation	30
6.1.1 Key Pair Generation.....	30
6.1.2 Private Key Delivery to Subscriber	30
6.1.3 Public Key Delivery to Certificate Issuer	30
6.1.4 CA Public Key Delivery to Relying Parties	31
6.1.5 Key Sizes	31
6.1.6 Public Key Parameters Generation and Quality Checking	31
6.1.7 Key Usage Purposes (as per X.509 v3 key usage field)	31
6.2 Private Key Protection and Cryptographic Module Engineering Controls	31
6.2.1 Cryptographic Module Standards and Controls	31
6.2.2 Private Key (n out of m) Multi–Person Control	31
6.2.3 Private Key Backup	31

6.2.4 Private Key Archival.....	32
6.2.5 Private Key Transfer into or from a Cryptographic Module	32
6.2.6 Private Key Storage on Cryptographic Module	32
6.2.7 Method of Activating Private Key	32
6.2.8 Method of Deactivating Private Key	32
6.2.9 Method of Destroying Private Key	32
6.2.10 Cryptographic Module Rating	32
6.3 Other Aspects of Key Pair Management.....	32
6.3.1 Public Key Archival.....	32
6.3.2 Certificate Operational Periods and Key Pair Usage Periods	32
6.4 Activation Data	33
6.4.1 Activation Data Generation and Installation	33
6.4.2 Activation Data Protection	33
6.4.3 Other Aspects of Activation Data	33
6.5 Computer Security Controls.....	33
6.6 Life Cycle Technical Controls	33
6.6.1 System Development Controls	33
6.6.2 Security Management Controls	33
6.6.3 Life Cycle Security Controls	33
6.7 Network Security Controls	34
6.8 Time–Stamping	34
<i>7. CERTIFICATE, CRL, AND OCSP PROFILES</i>	<i>34</i>
7.1 Certificate Profile	34
7.1.1 Version Number(s)	34
7.1.2 Certificate Extensions	34
7.1.3 Algorithm Object Identifiers.....	34
7.1.4 Name Forms	34
7.1.5 Name Constraints	34
7.1.6 Certificate Policy Object Identifier	34
7.1.7 Usage of Policy Constraints Extension	35
7.1.8 Policy Qualifiers Syntax and Semantics	35
7.1.9 Processing Semantics for the Critical Certificate Policies Extension	35
7.2 CRL Profile.....	35
7.2.1 Version Number(s)	35
7.2.2 CRL and CRL Entry Extensions	35
No stipulation. 7.3 OCSP Profile N/A	35

8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS	35
8.1 Frequency or Circumstances of Assessment	35
8.2 Identity/Qualifications of Assessor	35
8.3 Assessor’s Relationship to Assessed Entity	36
8.4 Topics Covered by Assessment	36
8.5 Actions Taken as a Result of Deficiency	36
8.6 Communication of Results.....	36
9. OTHER BUSINESS AND LEGAL MATTERS	36
9.1 Fees	36
9.2 Financial Responsibility.....	36
9.2.1 Insurance Coverage	36
9.2.2 Insurance or Warranty Coverage for End-Entities	37
9.3 Confidentiality of Business Information	37
9.3.1 Scope of Confidential Information	37
9.3.2 Information Not Within the Scope of Confidential Information	37
9.3.3 Responsibility to Protect Confidential Information	37
9.4 Privacy of Personal Information	37
9.4.1 Privacy Plan.....	37
9.4.2 Information Treated as Private	38
9.4.3 Information not Deemed Private	38
9.4.4 Responsibility to Protect Private Information.....	38
9.4.5 Notice and Consent to use Private Information	38
9.4.6 Disclosure Pursuant to Judicial or Administrative Process	38
9.4.7 Other Information Disclosure Circumstances	38
9.5 Intellectual Property Rights.....	38
9.6 Representations and Warranties.....	39
9.6.1 CA Representations and Warranties	39
9.6.2 Subscriber Representations and Warranties.....	39
9.6.3 Relying Party Representations and Warranties	40
9.7 Disclaimers of Warranties	40
9.8 Limitations of Liability.....	41
9.8.1 Indemnification by Infotech	41
9.8.2 Indemnification by Subscribers	41
9.8.3 Indemnification by Relying Parties	41

9.9 Term and Termination	42
9.9.1 Term	42
9.9.2 Termination	42
9.9.3 Effect of Termination and Survival.....	42
9.10 Individual Notices and Communications with Participants	42
9.11 Amendments.....	42
9.11.1 Procedure for Amendment.....	42
9.11.2 Notification Mechanism and Period	43
9.11.3 Circumstances Under Which OID Must be Changed	43
9.12 Dispute Resolution Provisions	43
9.13 Governing Law	43
9.14 Compliance with Applicable Law	43
9.15 Miscellaneous Provisions	43
9.15.1 Entire Agreement	43
9.15.2 Assignment.....	44
9.15.3 Severability.....	44
9.15.4 Enforcement (Attorneys’ Fees and Waiver of Rights)	44
9.15.5 Force Majeure	44

1. INTRODUCTION

1.1 Overview

This Certificate Policy and Certification Practice Statement (herein referred to as the "Policy" or as the "CP/CPS," as appropriate) specifies minimum requirements for the issuance and management of digital certificates that shall be used in authenticating actions of users accessing resources of the Info Tech, Inc., DBA Infotech (herein referred to as "Infotech") and the resources of other entities (relying parties) which accept those certificates. This CP/CPS is issued and administered under the authority of the Infotech Executive Team via the Infotech Information Security Review Board ("ISRB"), Legal Department, Information Technology ("IT") Department, and Talent Management ("TM") Department. For clarification of any aspect of this CP/CPS contact contract-admin@infotechinc.com.

Infotech acts as the Root CA for several different classes of digital certificates, which are described later in this CP/CPS. It is expected that relying parties will generally trust all Infotech certificates, though a relying party may choose to trust any class of Infotech certificate separately. Any software or repository used to distribute and authenticate policies, certificates and the like are referred to as the "Infotech PKI."

This document illustrates the policies and practices that govern the Infotech PKI. The Infotech PKI is integrated with the Infotech user database, Infotech Express, and other applicable identity management systems. Various methods are used to enroll users in the Infotech user database, create user accounts for them, and assign them a distinguished name.

To obtain credentials, Infotech PKI subscribers complete one of a small variety of processes which are either web-based or software-based. Upon completion of the applicable process, Infotech-PKI generates a subscriber's private key on the subscriber's local host machine and a request for approval pending authentication and verification by Infotech PKI. If the request is authenticated and verified according to the standard of verification corresponding to the class of Infotech PKI certificate applied for, the subscriber receives a signed certificate from Infotech.

1.2 Document Name and Identification

Document title: [Infotech CP/CPS] Info Tech, Inc., DBA Infotech Certificate Policy and Certification Practice Statement This Policy is published at: infotechinc.com/certificate-policy

Document version:2.1 Document Date: July 13, 2021

1.3 PKI Participants

1.3.1 Certification Authority

This policy is valid for the CA Infotech PKI. CA Infotech PKI will only sign end-entity certificates. There are no

subordinate CAs.

1.3.2 Registration Authorities

Trained Infotech certification staff serve as RAs for the Infotech PKI. This trained certification staff performs verification and authentication functions which are not performed via automated process within the Infotech PKI. Roles and responsibilities of the trained certification staff are enumerated *infra*.

Trained Infotech Certification staff must be Customer Success Specialists and must complete the Digital ID process and verification training.

1.3.3 Subscribers (End Entities)

Subscribers who receive X.509 certificates verified and authenticated via Infotech PKI systems and software may be individuals, individuals acting as agents of nonperson (corporate) entities, or both. These certificates may be used for the purpose of authentication, encryption, and digital signing by those individuals to whom the certificates have been issued.

1.3.4 Relying Parties

Any party using or employing any Infotech system or software may accept certificates issued by Infotech PKI. A party *not* using any Infotech system or software may always accept certificates issued by Infotech PKI if they have agreed to an Infotech PKI Relying Parties Agreement or other express agreement with Infotech. In the absence of such agreement and aside from use within the Infotech systems or software, Infotech neither authorizes nor guarantees certificates issued by Infotech PKI to be accepted by any party, however, such parties may choose to accept certificates issued by Infotech PKI at their sole risk and discretion.

1.3.5 Other Participants

No stipulation.

1.4 Certificate Usage

1.4.1 Appropriate Certificate Uses

Infotech PKI issued X.509 certificates which have been approved for use by trained Infotech certification staff, which are not expired, and which have not been revoked may be used for the purpose of authentication, encryption, and digital signing within Infotech systems or software, or for other uses expressly approved by agreement with Infotech.

1.4.2 Prohibited Certificate Uses

Other uses of Infotech PKI issued X.509 certificates are not prohibited, but neither are they supported or guaranteed by Infotech in any way whatsoever. Such uses are at the sole risk of the user of the certificate and the party seeking to rely upon the certificate.

1.5 Policy Administration

1.5.1 Organization Administering the Document

This CP/CPS is administered by Info Tech, Inc., DBA Infotech

1.5.2 Contact Person

The point of contact for this CP/CPS and matters related to this CP/CPS is:

Infotech Legal Dept. Phone number: (352) 381-4400 Postal address: 2970 SW 50th Terrace,
Gainesville, Florida, 32608 Email address: contract-admin@infotechinc.com

1.5.3 Person Determining CPS Suitability for the Policy

The Infotech Executive Team is ultimately responsible for determining the suitability of this CP/CPS.

1.5.4 CPS approval procedures

Any policy changes to this CP/CPS require approval by the Infotech Executive Team or duly appointed designees thereof. Appointed designees, if any, are listed here along with the scope of authority delegated by the Infotech Executive Team.

DESIGNEES: Chief Legal Officer

ISRB

1.6 Definitions and Acronyms

CA Certificate: Infotech CA certificates can be one of two types: the **Root Certificate** is a certificate self-signed by Infotech. The root certificate is used to sign Infotech **Intermediate Certificates**. Intermediate certificates are the certificates which are used to sign end user certificates issued according to the terms and conditions of this CP/CPS.

Certificate Authority (CA): an authority trusted by one or more users and relying parties to create and assign public key certificates.

Certificate Policy and Certification Practice Statement (CP/CPS): a named set of rules and

statement of practices that indicates the applicability of a certificate to a particular community and/or class of application with common security requirements. The CP/CPS is referred to by relying parties to determine the level of trust to be assigned to any class of certificates issued properly according to the policies and procedures stated in the CP/CPS, including any warranties and representations made by the CA and any entity operating within the CP/CPS web of trust.

Certificate Revocation List (CRL): a CRL is a time-stamped list identifying revoked certificates, which is signed by a CA and made freely available in a public repository.

Infotech PKI: the Infotech Public Key Infrastructure system, for which Infotech acts as the sole CA and provides the methods of issuance of digital certificates, as well as certain non-exclusive methods for public/private key generation for subscribers.

Public Key Infrastructure (PKI): the set of hardware, software, people, policies and procedures needed to create, manage, store, distribute, and revoke digital certificates based on public-key cryptography.

Registration Authority (RA): an entity that is responsible for identification and authentication of certificate subjects (subscribers), but that does not sign or issue certificates. The Infotech PKI does not employ any subordinate RA and performs all subject authentication and verification according to the terms of this CP/CPS.

Relying Party: a recipient of a certificate who acts in reliance on that certificate and/or digital signatures verified using that certificate.

Subscriber: a person (an individual) that has been issued an Infotech PKI digital certificate according to the terms of this CP/CPS.

User: one who accesses any portion of the Infotech PKI system, network, or other Infotech system or network. As applicable, this may be a subscriber, an Infotech employee, or a relying party; usage in this document should be determined by context in each case.

2. PUBLICATION AND REPOSITORY RESPONSIBILITIES

2.1 Repositories

The Infotech PKI will maintain a repository at <https://ca.infotechinc.com/crl>.

2.2 Publication of Certification Information

This repository will contain:

- Self-signed certificates for the Infotech PKI

- CRLs for the Infotech PKI
- General information about the Infotech PKI, including postal address and contact email address.
- The most recent and historical copies of all Certificate Policies for the Infotech PKI, including this Policy.

2.3 Time or Frequency of Publication

All CRLs will be published on any day on which the CRL is updated. A CRL is deemed current until an updated version is published.

This CP/CPS shall be published immediately following any update.

2.4 Access Controls on Repositories

Access to the repository for modification is restricted to Infotech staff duly assigned with the role or responsibility of modification of the repository. See *infra* for details regarding Infotech PKI procedural controls.

Read access to the repository (via HTTP or HTTPS) is unrestricted. The repository is publicly available for read access. Best effort subject to existing Infotech policy and Infotech business judgment will be provided to maintain the availability of the repository 24x7.

3. IDENTIFICATION AND AUTHENTICATION

3.1 Naming

3.1.1 Types of Names

CommonName, State and Country names will always be used. Other names may be used if needed.

3.1.2 Need for Names to be Meaningful

Names are neither meaningful nor strictly serial in nature.

3.1.3 Anonymity or Pseudonymity of Subscribers

Subscribers may not remain anonymous or pseudonymous.

3.1.4 Rules for Interpreting Various Name Forms

No stipulation.

3.1.5 Uniqueness of Names

Each certificate issued by Infotech PKI will be issued to one and only one individual as identified by a record in the user database. The user database management system implements checks to ensure the uniqueness of assigned certificates. User records are never purged from the database or reused, to ensure that certificates will never be assigned to another individual.

3.2 Initial Identity Validation

3.2.1 Method to Prove Possession of Private Key

Certificate requests must be digitally signed by the private key associated with the public key in the request using a process that is run by the user on the client side of the request. Whether the process is client- or server-side is dependent on the method of application for (not the type of) the certificate.

3.2.2 Authentication of Organization Identity

N/A

3.2.3 Authentication of Individual Identity

STANDARD CERTIFICATE: Individual Identity shall be verified via a three-part verification process. Part one: the applicant must demonstrate the capability to send and receive email at an email address provided by the applicant. Part two: the applicant must provide an image of a state or federal government issued identification which includes a photograph of the applicant. Types of identification accepted for a Standard Certificate are: Driver's License, State-Issued ID Card, and Passport. Part three: the applicant must verbally verify that the applicant is in fact applying for the Infotech certificate via a telephone conversation with trained Infotech personnel. The telephone number used for verbal verification is provided by the applicant and may be verified via independent means. Information sufficient to confirm the possession of the identification provided to Infotech during Part two and information sufficient to confirm control of the email address provided during Part one of the Authentication of Individual Identity procedure may also be verified during the verbal verification portion of the Authentication of Individual Identity.

NONSTANDARD CERTIFICATE: Authentication of Individual Identity shall be verified in the same manner as Authentication of Identity is verified for a Standard Certificate, except that state or government identification *other than* Driver's License, State-Issued ID Card, or Passport will be reviewed. Any identification reviewed under this standard shall contain a photograph of the applicant, must be issued by a state or federal government agency, must contain additional identifying information about the applicant, and must be a document of the type that would reasonably be considered to suffice for identification of the applicant for other identity verification purposes. This type of verification is escalated to the Infotech Legal Department, and all such verifications shall be logged, specifically listing the means used to approve the acceptability of the identification used for Authentication of Individual

Identity. Other requirements for Authentication of Individual Identity identified above for a Standard Certificate (demonstration of the capability to send and receive email at an email address provided by the applicant, verbal verification of the applicant's intent to apply for the Infotech certificate) shall still apply and may not be omitted for a Nonstandard Certificate.

3.2.4 Non-Verified Subscriber Information

During the application process for an Infotech PKI certificate, or before the application process, Infotech may come to be in possession of certain kinds of an applicant's personal information which are not verified – or, if verbally verified with the applicant but not required to be logged – as part of the certificate application process, as such verification would be either irrelevant or redundant. This information may or may not be included on the certificate. This type of information may include, without limitation:

Applicant's home address, ID serial number, SSN, or other information which may be present on an image of an identification document or other document provided by the applicant. [Not relevant to use of certificate]

Organization address. [Not relevant to use of certificate]

Organization telephone number or telephone number of applicant. [Not relevant to level of trust assigned to the certificate]

Documentation provided by the applicant during the application process, including any images of identification provided by the applicant, is securely deleted upon approval or ultimate rejection of the application.

3.2.5 Validation of Authority

Applicants requesting Infotech PKI certificates must be authenticated as the applicant identified in the certificate. Applicants may certify as part of the application process that the applicant as an individual has the authority to act on behalf of and bind the organization that the applicant professes to represent, whether as employee, owner, or agent. This certification is a matter between Infotech and the subscriber. Relying parties should take note that this validation is not intended to replace any process or requirement of the relying party for validation of authority (such as approved vendor lists, owner or officer requirements, or the like).

3.2.6 Criteria for Interoperation

STANDARD CERTIFICATES: Infotech permits interoperation within any Infotech system or software. Infotech permits interoperation outside of Infotech systems or software if the interoperation is the natural business result of a performance pursuant to or related to an executed Relying Parties Agreement or other express agreement which implies interoperability. Infotech is otherwise under no obligation to ensure interoperability of Infotech PKI certificates to any entity whatsoever.

NONSTANDARD CERTIFICATES: These criteria are the same as the criteria for Standard Certificates,

however, in certain instances, Relying Parties may have the ability to accept Standard Certificates but to refuse Nonstandard Certificates as a class (but not on an individual certificate basis).

3.3 Identification and Authentication for Re-Key Requests

3.3.1 Identification and Authentication for Routine Re-Key

Infotech shall verify Subscriber's possession of the Subscriber's private key by any acceptable means prior to execution of a routine re-key procedure by Infotech.

3.3.2 Identification and Authentication for Re-Key after Revocation

No certificate shall be re-keyed after revocation.

3.4 Identification and Authentication for Revocation Request

Subscribers may request revocation by contacting Infotech via email or telephone. Parties other than subscribers may request revocation of a subscriber's certificate only if they can sufficiently prove the compromise of that subscriber's certificate or that the certificate is no longer controlled by that subscriber.

4. CERTIFICATE LIFE-CYCLE OPERATIONAL REQUIREMENTS

4.1 Certificate Application

4.1.1 Who can Submit a Certificate Application

Any user granted an Infotech Express user account may submit an application for an Infotech PKI certificate.

4.1.2 Enrollment Process and Responsibilities

Applicant is responsible for providing required information to be authenticated (such as security code for account verification, applicant's legal name, and identifying documents), is required to click/accept the Subscriber Agreement, and is required to verbally verify that all information provided to Infotech for the purpose of issuing a certificate to the Applicant is true and correct.

Infotech trained personnel are responsible for review and authentication of information provided by the applicant, contacting the applicant to obtain verbal verification of the applicant's intent to obtain an Infotech certificate, and for affirmatively approving or rejecting an application.

4.2 Certificate Application Processing

4.2.1 Performing Identification and Authentication Functions

Infotech authenticates all certificate requests as described in 4.1 *supra*. Electronic communications between the subscriber, Infotech PKI, and the user database are encrypted with industry-standard methods to protect the chain of trust during application processing. Within the Infotech PKI, the chain of trust is protected by the secured process of translation from an authenticated certificate signing request to delivery of a signed certificate.

4.2.2 Approval or Rejection of Certificate Applications

All certificate applications that meet all criteria for acceptance and are authenticated according to all controls and protocols will be manually approved by trained Infotech certification staff. Certificate applications that do not meet each and every criteria for acceptance or do not pass all controls and protocols for authentication for the corresponding class of certificate will be rejected.

4.2.3 Time to Process Certificate Applications

The time to process any given certificate application varies, depending on the type of certificate, the authentication and verification protocols required for that certificate, the volume of certificate requests, and business operating hours. Certificate applications and related authentication and verification procedures are only processed during regular Infotech business hours. Verbal verification for subscribers can only be performed if the subscriber is available and answers Infotech's telephone call to the applicant for the purpose of verbal verification.

4.3 Certificate Issuance

4.3.1 CA Actions during Certificate Issuance

Certificate applications are authenticated and verified after and only after a complete certificate application has been submitted to the Infotech PKI. After and only after all authentication and verification has been successfully performed, Infotech certification staff shall immediately authorize issuance and disbursement of a certificate.

All actions, including rejections, associated with Infotech PKI certificate applications are either automatically or manually logged electronically by Infotech certification staff and the Infotech PKI system.

4.3.2 Notification to Subscriber by the CA of Issuance of Certificate

Subscribers will be notified of the issuance of any certificate electronically via email. Infotech certification staff will also notify the subscriber verbally that the certificate is authorized for issue at the end of the successful verbal verification.

4.4 Certificate Acceptance

4.4.1 Conduct Constituting Certificate Acceptance

Certificate acceptance is assumed due to the specific actions taken to accept the terms of the certificate electronically, request the certificate, pay any associated fees, and provide any associated documentation and verbal verification prior to certificate issue.

4.4.2 Publication of the Certificate by the CA

Certificates are constructively published upon issue by Infotech.

4.4.3 Notification of Certificate Issuance by the CA to Other Entities

No notification to other entities will be provided.

4.5 Key Pair and Certificate Usage

4.5.1 Subscriber Private Key and Certificate Usage

Subscribers must:

Exercise due care to protect the integrity of the private key corresponding to their certificate, including:

- Never removing or compromising the encryption measures designed to protect the security of the private key;
- Never sharing the private key between people; and
- Promptly notifying Infotech of any incident which may involve a possibility of exposure of a private key.
- Observe any restrictions on private key and certificate use.
- Not represent that their certificate is guaranteed by Infotech for trust to any entity that is not relying upon that certificate within the normal use of Infotech systems or software, is not a party to an Infotech PKI Relying Party Agreement, or is not party to another express agreement to rely on Infotech PKI certificates.
- Use the certificate in a manner consistent with the designed use of the certificate.

- Only use the certificate if the certificate is accepted by the subscriber and authorized for the subscriber's use by Infotech.
- Discontinue use of the certificate if it has been revoked or has expired.

Subscribers are notified of these and other responsibilities:

- Via notice accessible from a relevant Infotech website;
- Via acknowledgement of the terms of use and the subscriber agreement during the submission process of an application for an Infotech PKI certificate; and
- Via this document, which is available in the Infotech PKI repository and on the Infotech corporate website.

4.5.2 Relying Party Public Key and Certificate Usage

Relying parties should:

- Review the provisions of this Infotech PKI CP/CPS and any Relying Party Agreement or other express agreement for which the relying party is in privity of contract with Infotech.
- Verify any Nonstandard Certificates to their own satisfaction via any method of their own choosing.
- Checking any Infotech PKI certificate against all published Infotech PKI repository CRLs.
- Not presume authorization of an end entity based solely on possession of an Infotech PKI certificate or its corresponding private key.
- Observe restrictions on private key and certificate use.

Relying parties are notified of these and other guidelines:

- Via notice accessible from a relevant Infotech website;
- Via notice of this document's incorporation into any Relying Party Agreement or any other express agreement; and
- Via this document, which is available in the Infotech PKI repository and on the Infotech corporate website.

4.6 Certificate Renewal

4.6.1 Circumstance for Certificate Renewal

Infotech PKI X.509 certificates are renewed using a re-keying process prior to expiration upon subscriber request unless they have been revoked or the Subscriber no longer has an account or subscription associated with an Infotech service.

4.6.2 Who May Request Renewal

Subscribers may request renewal; a renewal request is assumed unless a subscriber indicates the intent to revoke the Subscriber's certificate.

4.6.3 Processing Certificate Renewal Requests

This process is automatic and happens within the Infotech PKI CA system.

4.6.4 Notification of New Certificate Issuance to Subscriber

No stipulation.

4.6.5 Conduct constituting acceptance of a renewal certificate

Acceptance is implied by not requesting revocation; is expressly confirmed by use of the certificate.

4.6.6 Publication of the renewal certificate by the CA

Publication takes place in the same manner as the publication of a new certificate.

4.6.7 Notification of certificate issuance by the CA to other entities

No stipulation.

4.7 Certificate Re-Key

4.7.1 Circumstance for Certificate Re-Key

Infotech shall be the sole entity which determines the need for a re-key event.

4.7.2 Notification of New Certificate Issuance to Subscriber

No stipulation.

4.7.3 Conduct Constituting Acceptance of a Re-Keyed Certificate

No stipulation.

4.7.4 Publication of the Re-Keyed Certificate by the CA

No stipulation.

4.7.5 Notification of Certificate Issuance by the CA to Other Entities

No stipulation.

4.8 Certificate Modification

4.8.1 Circumstance for Certificate Modification

Infotech PKI X.509 certificates are not modified. Subscribers may apply for a new certificate via the normal application procedure.

4.9 Certificate Revocation and Suspension

4.9.1 Circumstances for Revocation

Certificates issued by the Infotech PKI will be revoked in any of the following circumstances:

- The private key is suspected or reported to be lost or exposed.
- The information in the certificate is believed to be, or has become inaccurate.
- The certificate is reported to no longer be needed.
- Infotech may revoke any certificate for any reason and at Infotech's sole discretion.

4.9.2 Who can Request Revocation

Infotech Legal, Directors and Officers may request revocation of any certificate issued by Infotech PKI.

The subscriber may request revocation.

Entities other than the subscriber who suspect a certificate issued by the Infotech PKI may be compromised should contact Infotech Legal.

4.9.3 Procedure for Revocation Request

Subscribers should request revocation via the methods described in 3.4 *supra*.

Non-Infotech, non-subscriber entities should send requests for revocation via email to contract-admin@infotechinc.com

Infotech Legal, Directors and Officers may request revocation of any Infotech PKI certificate orally or in writing to qualified Infotech certification staff.

4.9.4 Revocation Request Grace Period

There shall be no grace period during which a certificate may be revived from a revoked status. A subscriber must request a new certificate to replace the subscriber's revoked certificate.

4.9.5 Time Within which CA Must Process the Revocation Request

Requests must be processed within one business day of the request *unless* the request is based solely on the report of a non-subscriber, non-Infotech entity. In such cases, requests will be investigated by Infotech Legal by whatever means are available and appropriate; however, in no case will an investigation by Legal take more than two business days. After the Legal investigation is concluded, Legal must immediately either render a decision to revoke the certificate or to disregard the request. All requests for revocation which result in a Legal Department investigation are logged, along with the findings and result of the investigations.

4.9.6 Revocation Checking Requirement for Relying Parties

Relying parties are advised to obtain and consult a valid CRL from <https://ca.infotechinc.com/crl>

4.9.7 CRL Issuance Frequency

CRLs will be published at least daily on any day in which a revocation of an Infotech PKI certificate takes place.

4.9.8 Maximum Latency for CRLs

One business day.

4.9.9 Circumstances for Suspension

There is no suspension status for Infotech PKI X.509 certificates. The certificates, once authorized and issued, are either authorized, expired, or revoked.

4.10 Certificate Status Services

N/A

4.11 End of Subscription

Subscribers may terminate their subscription as described in 3.4 *supra*.

4.12 Key Escrow and Recovery

Infotech does not escrow and cannot recover Infotech PKI X.509 certificate private keys. The subscriber is responsible for any backup mechanism for his or her own private keys.

5. FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS

5.1 Physical Controls

5.1.1 Site Location and Construction

The physical site housing all data required to manage the certificate life-cycle is in the United States.

5.1.2 Cloud Vendor

All applicable services required to manage the certificate life-cycle tasks are hosted by a cloud vendor in a suitable cloud environment. The vendor must be verified to meet the following standards:

Certifications:

- PCI 3.1
- ISO 27001/27017 – Information Security Management

Standards Reports:

- Service Organizational Controls (SOC) 1, Type II – Effective operational and data safeguarding controls
- SOC 2, Type 2/SOC 3 – Effective security and availability controls

The vendor is audited for compliance annually.

5.1.3 Off-Site Backup

Backups are retained within the cloud vendor at a separate physical location.

5.2 Procedural Controls

5.2.1 Trusted Roles

Persons acting in trusted roles for the Infotech PKI are trained Infotech certification staff, internal auditors, and system administration personnel. The functions and duties performed by persons in trusted roles are distributed so that one person alone cannot circumvent security measures or subvert the security or trustworthiness of the Infotech PKI operations.

5.2.2 Number of Persons Required per Task

Each task identified in 5.2.4 *infra* may require one or more persons acting in a trusted role, however, no person authorized to perform one or more tasks of any of the three sets of functions listed in 5.2.4 *infra* may perform a task listed within one of the two other sets of functions.

5.2.3 Identification and Authentication for Each Role

All trusted role personnel are required to authenticate themselves before they are allowed access to systems necessary for them to perform their trusted roles.

5.2.4 Roles Requiring Separation of Duties

The following duties are assigned to those persons in trusted roles:

- Authorization functions such as verification of information in subscriber certificate applications and approvals of subscriber certificate applications and revocation requests: issuing and revoking subscriber certificates, identity verification, compliance with issuance and revocation steps such as managing the certificate request queue and completing certificate approval checklists [Infotech certification staff],
- Audit, review, and oversight functions: reviewing, maintaining, and archiving audit logs and performing or overseeing internal compliance audits [internal auditors],
- Infotech PKI key management and Infotech PKI administration functions: installs and configures CA software including key generation, key backup, and key management; installs and configures system hardware, including servers, routers, firewalls, and network configurations [Infotech PKI system administration].

5.3 Personnel Controls

5.3.1 Qualifications, Experience, and Clearance Requirements

Infotech is responsible and accountable for Infotech PKI operations and ensures compliance with this Infotech CP/CPS. Infotech's personnel and management practices provide reasonable assurance of the trustworthiness and competence of its employees and the satisfactory performance of their duties. All trusted role personnel are citizens of the United States or are authorized to work in the United States.

Management and operational support personnel involved with Infotech PKI operations possess experience with information security and risk assessment, knowledge of PKI and digital signature technology, and training in Infotech security policies including policies regarding the stewardship of personal information of individuals. Infotech ensures that all individuals assigned to Infotech PKI trusted roles have the experience, qualifications, and trustworthiness required to perform their duties under this CP/CPS.

5.3.2 Background Check Procedures

Infotech performs the following background checks prior to extending a job offer to any person:

- Verification of identity via government-issued documents
- Verification of citizenship or of legal ability to work in the U.S. (e-Verify)
- Criminal background check

Talent Management makes an adjudication decision, with the assistance of Legal when necessary, as to whether the individual is suitable for the position to which they were assigned.

5.3.3 Training Requirements

Infotech requires all employees to attend training on data security and personal information security upon hire and then requires annual in-person retraining on those same policies.

Employees assigned to Infotech PKI trusted roles receive the following additional training:

- basic PKI knowledge,
- Infotech PKI software and systems used by Infotech,
- authentication and verification policies and procedures,
- common threats to the validation process (identity fraud, phishing and social engineering, etc).
- applicable industry and government guidelines.

This Infotech PKI trusted role training is provided by a combination of internal experts and mentors. Infotech maintains records of training and what types of training was completed. Infotech certification staff must have the minimum skills necessary to perform their validation duties and must pass an internal examination before they are permitted to perform their trusted roles.

5.3.4 Retraining Frequency and Requirements

Retraining takes place throughout an employee's period of hire as part of a program of continuing education. Although there is no set schedule for retraining, each trusted role employee must participate in a retraining workshop yearly and must also annually pass an internal examination. If the internal examination for a trusted role employee is not passed satisfactorily, that employee will be removed from the trusted role and may be assigned to other duties until satisfactory performance on the examination can be demonstrated.

5.3.5 Job Rotation Frequency and Sequence

N/A

5.3.6 Sanctions for Unauthorized Actions

Trusted role employees failing to comply with this CP/CPS, knowingly or negligently, are subject to

administrative or disciplinary actions including termination of employment or criminal sanctions. If cited for unauthorized, inappropriate, or illegal actions, the employee will immediately be removed from the trusted role pending investigation and review. After review and discussion with the employee of the unauthorized action, the employee may be subject to any sanction up to and including termination.

5.3.7 Independent Contractor Requirements

Infotech does not permit independent contractors to perform trusted roles.

5.3.8 Documentation Supplied to Personnel

Employees in trusted roles are provided with all documentation necessary for them to perform their duties, including this CP/CPS, Internal Controls documentation, Information Security Program documentation, identity verification and authentication policies and procedures, and other information.

5.4 Audit Logging Procedures

5.4.1 Types of Events Recorded

All Infotech systems require authentication and identification at system logon, whether the system is internal or external, and whether it is being accessed as an employee or an end-user non-employee. Important system actions are logged to establish the accountability of the operators who initiate such actions. Logging is automatic and actions which require urgent notice are reviewed immediately. For each event, Infotech records the relevant: date and time, type of event; success or failure; and user or system that caused the event or initiated the action. All event records are available to auditors as proof of Infotech's practices.

AUDITABLE EVENTS:

- **SECURITY AUDIT** Any changes to the audit parameters or matrices Any attempt to delete or modify the logs Any security-relevant changes to the configuration of any Infotech PKI system component Installation of any Infotech PKI or other software, patches Installation or removal of any hardware security component System startup Backup or restoration of the CA database Any access to the CA database Any use of any root private key
- **AUTHENTICATION TO SYSTEMS** Successful and unsuccessful attempts to log in to a given system Number of authentication attempts that occur during login Administrator unlocks an account that had been locked as a result of unsuccessful authentication attempts Logon attempts to administrator accounts for Infotech PKI software
- **DATA ENTRY / EXPORT** All security-relevant data that is entered in the system All security relevant messages that are received by the system All successful and unsuccessful requests for confidential and security-relevant information
- **CERTIFICATE EVENTS** All certificate requests, including issue, modification, and revocation All status changes (authorized, revoked, expired) Certificate issuance Verification activities All changes to the certificate profile All changes to the revocation profile All changes to the CRL

- profile Generation of CRLs
- **ACCOUNT ADMINISTRATION** Roles and users are added or deleted Access control privileges of an account or role is modified Appointment of an individual to a trusted role Attempts to set or change a password
- **SYSTEM ERRORS, WARNINGS, CRASHES**
Crashes / hardware or equipment failures, power outages Software error conditions Software check integrity failures Network attacks

Other auditable events are documented manually, such as CP/CPS violations, server room entry logs, and the like.

5.4.2 Frequency of Processing Log

No stipulation.

5.4.3 Retention Period for Audit Log

Audit logs are kept for a period of at least one year.

5.4.4 Protection of Audit Log

Access to logs is strictly limited to qualified system administrators and developers with credentials issued according to IT department control protocols. Audit logs may not be modified, and are protected from destruction throughout the retention period for those logs.

5.4.5 Audit Log Backup Procedures

No stipulation.

5.4.6 Audit Collection System (Internal vs. External)

No stipulation.

5.4.7 Notification to Event-Causing Subject

No stipulation.

5.4.8 Vulnerability Assessments

Infotech performs annual risk assessments that identify and assess reasonably foreseeable internal and external threats that could result in unauthorized access, disclosure, misuse, alteration, or destruction of any certificate data or certificate issuance process. Infotech routinely assesses the systems and controls in place to protect the integrity of the Infotech PKI system.

5.5 Records Archival

Infotech complies with all record retention policies that apply by law.

5.5.1 Types of Records Archived

Infotech retains the following information related to the operation of the Infotech PKI system for archival purposes:

- Independent security assessment reports
- CP/CPS versions
- Contracts and other agreements concerning the operation of the Infotech PKI system
- System and equipment configurations, modifications, and updates
- Identity authentication logs documenting the identification requirements of 3.2 *supra*, including information about telephone calls made for verification purposes and form of ID reviewed, for each subscriber
- Subscriber agreement versions
- CRLs
- Data necessary to verify an archive's contents
- compliance auditor reports
- Certificate status changes and requests
- Appointments or removals of appointments of an individual to a trusted role
- Certificate compromise notifications
- Remedial actions taken as a result of violations of physical security
- Violations of the Infotech CP/CPS

5.5.2 Retention Period for Archive

Archived records are retained for the life of the Infotech PKI.

5.5.3 Protection of Archive

No stipulation.

5.5.4 Archive Backup Procedures

No stipulation.

5.5.5 Requirements for Time-Stamping of Records

No stipulation.

5.5.6 Archive Collection System (Internal or External)

No stipulation.

5.5.7 Procedures to Obtain and Verify Archive Information

No stipulation.

5.6 Key Changeover

No stipulation.

5.7 Compromise and Disaster Recovery

5.7.1 Incident and Compromise Handling Procedures

Infotech maintains incident response procedures to guide key personnel in response to security incidents, natural disasters, and similar events that may give rise to system compromise. Infotech reviews and updates its incident response plans as needed, but at least on an annual basis.

5.7.2 Computing Resources, Software, and/or Data are Corrupted

Infotech systems are protected by regular backups and Infotech maintains copies of the Infotech PKI system's private keys, which are stored securely. If Infotech discovers that any of its systems have been compromised or corrupted, Infotech assesses the danger, legal obligations, and possible risks associated with the incident. If Infotech determines that a continued operation could pose a significant risk to relying parties or subscribers, Infotech will suspend Infotech PKI operations until the risk is mitigated, or as permitted by law.

5.7.3 Entity Private Key Compromise Procedures

No stipulation.

5.7.4 Business Continuity Capabilities after a Disaster

No stipulation.

5.8 CA or RA Termination

No stipulation.

6. TECHNICAL SECURITY CONTROLS

6.1 Key Pair Generation and Installation

6.1.1 Key Pair Generation

Keys will be generated on secure computers that have never been connected to any network. Those computers will be prepared using new storage media as provided by manufacturers, with software installed from read-only media such as DVD-ROM. The installation media will be stored for future examination, if ever needed, for as long as the certificates created with the keys are active.

Keys will be generated by trusted personnel using appropriate software, while observed by other trusted personnel who will document the procedure. The generated keys will be copied to previously unused external media, such as USB storage devices. After the keys have been generated, all persistent storage media used by the secure computers for this operation will be securely wiped and then physically destroyed.

The generated private keys will be kept in sealed containers in secure physical storage. When needed, the private keys will be removed and used by trusted personnel with trusted observers. There are two ways the private keys will be needed:

1. The root certificate private key will be used to sign new intermediate certificates as needed.
2. Intermediate certificate private keys will be installed into secure systems that will use them to sign end-user certificates upon proper controls and authorization. All operations involving the root certificate keys will take place on secure computers as described above.

Intermediate certificate private keys will be encrypted using secure computers as described above, and then placed into service with systems that will decrypt and use them as authorized. Every time a private key is decrypted or used will be automatically logged.

6.1.2 Private Key Delivery to Subscriber

Private keys are generated by the Subscriber on their own computing equipment, and never leave their control. Subscribers may choose to back up their keys or to copy them to other computers under their control. In those cases, the private keys are encrypted before being backed up or copied.

6.1.3 Public Key Delivery to Certificate Issuer

After the Subscriber generates a key pair, software on the Subscriber's own computing equipment is used to generate a Certificate Signing Request (CSR), which contains the public key and is digitally signed with the private key. The CSR is delivered to the Certificate Issuer over a secure Internet connection, where it is held until the Subscriber's identity has been confirmed, at which point the CSR is

used to issue a Certificate.

6.1.4 CA Public Key Delivery to Relying Parties

The CA Public Keys are contained in root and intermediate certificates that are available for download via a secure connection over the Internet.

6.1.5 Key Sizes

Subscriber's key pairs are 2048 bit RSA keys. The CA root and intermediate key pairs are 4096 bit RSA keys.

6.1.6 Public Key Parameters Generation and Quality Checking

RSA key pairs are generated with a 2048 bit modulus and a public exponent of 65537, using standard cryptographic software. Currently used software includes OpenSSL for CA key generation, and the Web Cryptography API for Subscriber key generation.

6.1.7 Key Usage Purposes (as per X.509 v3 key usage field)

Digital Signature, Non Repudiation, Key Encipherment

6.2 Private Key Protection and Cryptographic Module Engineering Controls

6.2.1 Cryptographic Module Standards and Controls

CA private keys are stored either on physically locked external backup media, or encrypted using Amazon Web Services Key Management Service, with every decryption operation automatically logged for review.

Subscriber private keys are stored on their own computer's internal storage, encrypted using AES-256 with randomly generated keys stored on external servers and provided only upon Subscriber authentication.

6.2.2 Private Key (n out of m) Multi-Person Control

No stipulation.

6.2.3 Private Key Backup

No stipulation.

6.2.4 Private Key Archival

No stipulation.

6.2.5 Private Key Transfer into or from a Cryptographic Module

No stipulation.

6.2.6 Private Key Storage on Cryptographic Module

No stipulation.

6.2.7 Method of Activating Private Key

No stipulation.

6.2.8 Method of Deactivating Private Key

No stipulation.

6.2.9 Method of Destroying Private Key

No stipulation.

6.2.10 Cryptographic Module Rating

No stipulation.

6.3 Other Aspects of Key Pair Management

No stipulation.

6.3.1 Public Key Archival

No stipulation.

6.3.2 Certificate Operational Periods and Key Pair Usage Periods

Subscriber certificates are operational until revocation or expiration. Subscriber certificates expire 440 days after issuance.

CA intermediate certificates expire 20 years after creation. CA root certificates expire 40 years after creation.

6.4 Activation Data

6.4.1 Activation Data Generation and Installation

No stipulation.

6.4.2 Activation Data Protection

No stipulation.

6.4.3 Other Aspects of Activation Data

No stipulation.

6.5 Computer Security Controls

Any computer system that creates or uses the root private key must be a freshly installed computer in which all writable media has been freshly removed from the manufacturer's sealed packaging, which is never connected to any network. All writable media is then either physically destroyed or placed in physically sealed, locked storage.

Any computer system that uses any intermediate certificate private key in unencrypted form must be secured from all user access (including administrator access), with all software installation and key decryption operations logged.

6.6 Life Cycle Technical Controls

No stipulation.

6.6.1 System Development Controls

No stipulation.

6.6.2 Security Management Controls

No stipulation.

6.6.3 Life Cycle Security Controls

No stipulation.

6.7 Network Security Controls

Systems with access to the root private keys must never be connected to any network.

Systems with access to intermediate private keys are network connected, but the private keys must always be encrypted with keys not on those systems, and only decrypted on systems that prevent all user or network access to the private keys. All decryption operations must be automatically logged.

6.8 Time-Stamping

No stipulation.

7. CERTIFICATE, CRL, AND OCSP PROFILES

7.1 Certificate Profile

No stipulation.

7.1.1 Version Number(s)

No stipulation.

7.1.2 Certificate Extensions

No stipulation.

7.1.3 Algorithm Object Identifiers

No stipulation.

7.1.4 Name Forms

No stipulation.

7.1.5 Name Constraints

No stipulation.

7.1.6 Certificate Policy Object Identifier

No stipulation.

7.1.7 Usage of Policy Constraints Extension

No stipulation.

7.1.8 Policy Qualifiers Syntax and Semantics

No stipulation.

7.1.9 Processing Semantics for the Critical Certificate Policies Extension

No stipulation.

7.2 CRL Profile

7.2.1 Version Number(s)

No stipulation.

7.2.2 CRL and CRL Entry Extensions

No stipulation.

7.3 OCSP Profile

No stipulation.

8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS

8.1 Frequency or Circumstances of Assessment

No stipulation.

8.2 Identity/Qualifications of Assessor

No stipulation.

8.3 Assessor's Relationship to Assessed Entity

No stipulation.

8.4 Topics Covered by Assessment

No stipulation.

8.5 Actions Taken as a Result of Deficiency

If an audit reports a material noncompliance with applicable law, this CP/CPS, or any other contractual obligations related to Infotech's services, then (1) the auditor will document the discrepancy, (2) the auditor will promptly notify Infotech, and (3) Infotech will develop a plan to cure the noncompliance. Infotech will submit the plan to the Executive Team for approval and to any third party that Infotech is legally obligated to satisfy. The Executive Team may require additional action if necessary to rectify any significant issues created by the non-compliance, including requiring revocation of affected certificates.

8.6 Communication of Results

The results of each audit are reported to the Executive Team and to any third parties which are entitled by law, regulation, or agreement to receive a copy of the audit results.

9. OTHER BUSINESS AND LEGAL MATTERS

9.1 Fees

Any fee associated with the issuance or renewal of a certificate is governed by other agreements which may or may not incorporate this CA/CPS.

9.2 Financial Responsibility

9.2.1 Insurance Coverage

Infotech maintains Commercial General Liability insurance with a policy limit of at least \$2 million in coverage and Professional Liability/Errors & Omissions insurance with a policy limit of at least \$5 million in coverage. Insurance is carried through companies rated no less than A- as to Policy Holder's Rating in the current edition of Best's Insurance Guide (or with an association of companies, each of the members of which are so rated).

9.2.2 Insurance or Warranty Coverage for End-Entities

Insurance coverage for end entities, if any, is specified in the Infotech Relying Parties Agreement or another express agreement to provide insurance or warranty coverage to that entity.

9.3 Confidentiality of Business Information

9.3.1 Scope of Confidential Information

The following information is considered confidential and, unless disclosed voluntarily, is protected against disclosure to the fullest extent permitted by law, regulation, or agreement:

- Business continuity, incident response, contingency, and disaster recovery plans;
- Non-public details of other security practices used to protect the confidentiality, integrity, or availability of information;
- Information held by Infotech as private information in accordance with 9.4 *infra*;
- Audit logs and archive records; and
- Transaction records, financial audit records, and external or internal audit trail records and any audit reports.

9.3.2 Information Not Within the Scope of Confidential Information

Published information, including published and revoked certificate information, is not considered to be confidential information.

9.3.3 Responsibility to Protect Confidential Information

Infotech's employees, agents, and contractors are responsible for protecting confidential information and are contractually obligated to do so. Employees receive annual training on Infotech procedures regarding the handling and protection of confidential information.

9.4 Privacy of Personal Information

9.4.1 Privacy Plan

Infotech maintains a comprehensive set of policies and procedures to safeguard personal information, client data, and other information. A summary of these practices and policies may be found in the Info Tech, Inc. Privacy Statement and Policy located at: <https://www.infotechinc.com/privacy-policy>. More detailed information about Infotech's Information Security Plan is available on request; for more information contact contract-admin@infotechinc.com and request a current version of the Info Tech, Inc. Information Security Plan.

9.4.2 Information Treated as Private

Infotech treats all identifying information about an individual that is not publicly available in the contents of a certificate or CRL as private, protected personal information according to the terms of our Infotech, Inc. Privacy Statement and Policy located at: <https://www.infotechinc.com/privacy-policy>

9.4.3 Information not Deemed Private

Private information does not include certificates, CRLs, or their contents.

9.4.4 Responsibility to Protect Private Information

Infotech employees and contractors are required to handle personal information in strict confidence and meet all applicable requirements for privacy protection and data security under applicable state laws or US laws. All sensitive information is securely stored and protected against accidental disclosure.

9.4.5 Notice and Consent to use Private Information

Personal information obtained from an applicant during the application or identity verification process is considered private information if the information is not included in a certificate. Infotech will only use private information after obtaining the subject's consent or as required by applicable law or regulation. All subscribers must consent to the global transfer and publication of any personal data contained in a certificate.

9.4.6 Disclosure Pursuant to Judicial or Administrative Process

Infotech may disclose private information, without notice, if Infotech reasonably believes that the disclosure is required by law, regulation, or court order.

9.4.7 Other Information Disclosure Circumstances

See the Info Tech, Inc. Privacy Statement and Policy located at: <https://www.infotechinc.com/privacy-policy>

9.5 Intellectual Property Rights

Infotech and/or its business partners own the intellectual property rights in Infotech's services, including the certificates, trademarks used in providing the services, and this CP/CPS. "Infotech" is a registered trademark of Info Tech, Inc., DBA Infotech Certificate and revocation information are the property of Infotech. Infotech grants permission to reproduce and distribute certificates on a non-exclusive and royalty-free basis, provided that they are reproduced and distributed in full. Infotech does not allow derivative works of its certificates or products without prior written permission. Private and Public Keys

remain the property of the Subscribers who rightfully hold them. All distributed elements of the Infotech Private Keys are the property of Infotech.

9.6 Representations and Warranties

9.6.1 CA Representations and Warranties

Except as expressly stated in this CP/CPS or in a separate agreement with a Subscriber, Infotech does not make any representations regarding its products or services. Infotech represents, to the extent specified in this CP/CPS, that:

- Infotech complies, in all material aspects, with this CP/CPS, and all applicable laws and regulations,
- Infotech publishes and updates CRLs and OCSP responses on a regular basis,
- All certificates issued under this CP/CPS will be verified in accordance with this CP/CPS and meet the minimum requirements found herein,
- Infotech will maintain a repository of public information on its website, and
- Information published on a qualified certificate meets the requirements specified in US law.

To the extent allowed under US law, Infotech:

- Does not warrant the accuracy, authenticity, completeness, or fitness of any unverified information,
- Is not responsible for information contained in a certificate except as stated in this CP/CPS,
- Does not warrant the quality, function, or performance of any software or hardware device, and
- Is not responsible for failing to comply with this CP/CPS because of circumstances outside of Infotech's control.

9.6.2 Subscriber Representations and Warranties

Prior to being issued and receiving a Certificate, subscribers are solely responsible for any misrepresentations they make to third parties and for all transactions that use Subscriber's Private Key, regardless of whether such use was authorized. Subscribers are required to notify Infotech if a change occurs that could affect the status of the certificate. Subscribers represent to Infotech and Relying Parties that, for each certificate, the Subscriber will:

- Securely generate its Private Keys and protect its Private Keys from compromise,
- Provide accurate and complete information when communicating with Infotech,
- Confirm the accuracy of the certificate data prior to using the certificate,
- Promptly cease using a certificate and notify Infotech if (i) any information that was submitted to Infotech or is included in a certificate changes or becomes misleading or (ii) there is any actual or suspected misuse or compromise of the Private Key associated with the certificate,
- Use the certificate only for authorized and legal purposes, consistent with the certificate

- purpose, this CP/CPS, and the relevant Subscriber Agreement, and
- Promptly cease using the certificate and related Private Key after the certificate's expiration.

9.6.3 Relying Party Representations and Warranties

Each Relying Party represents that, prior to relying on a Infotech certificate, it:

- Obtained sufficient knowledge on the use of digital certificates and PKI,
- Studied the applicable limitations on the usage of certificates and agrees to Infotech's limitations on liability related to the use of certificates,
- Has read, understands, and agrees to the Infotech Relying Party Agreement (if applicable) and this CP/CPS,
- Verified both the Infotech certificate and the certificates in the certificate chain using the relevant CRL or OCSP,
- Will not use a Infotech certificate if the certificate has expired or been revoked, and
- Will take all reasonable steps to minimize the risk associated with relying on a digital signature, including only relying on a Infotech certificate after considering:
 - applicable law and the legal requirements for identification of a party, protection of the confidentiality or privacy of information, and enforceability of the transaction;
 - the intended use of the certificate as listed in the certificate or this CP/CPS,
 - the data listed in the certificate,
 - the economic value of the transaction or communication,
 - the potential loss or damage that would be caused by an erroneous identification or a loss of confidentiality or privacy of information in the application, transaction, or communication,
 - the Relying Party's previous course of dealing with the Subscriber,
 - the Relying Party's understanding of trade, including experience with computer-based methods of trade, and
 - any other indicia of reliability or unreliability pertaining to the Subscriber and/or the application, communication, or transaction.

Any unauthorized reliance on a certificate is at a party's own risk.

9.7 Disclaimers of Warranties

EXCEPT AS EXPRESSLY STATED IN SECTION 9.6.1, ALL CERTIFICATES AND ANY RELATED SOFTWARE AND SERVICES ARE PROVIDED "AS IS" AND "AS AVAILABLE". TO THE MAXIMUM EXTENT PERMITTED BY LAW, INFOTECH DISCLAIMS ALL EXPRESS AND IMPLIED WARRANTIES, INCLUDING ALL WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. INFOTECH DOES NOT WARRANT THAT ANY SERVICE OR PRODUCT WILL MEET ANY EXPECTATIONS OR THAT ACCESS TO CERTIFICATES WILL BE TIMELY OR ERROR-FREE. Infotech does not guarantee the availability of any products or services and may modify or discontinue any product or service offering at any time.

9.8 Limitations of Liability

NOTHING HEREIN LIMITS LIABILITY RELATED TO (I) DEATH OR PERSONAL INJURY RESULTING FROM INFO TECH'S NEGLIGENCE OR (II) FRAUD COMMITTED BY INFOTECH. EXCEPT AS STATED ABOVE, ANY ENTITY USING AN INFOTECH CERTIFICATE OR SERVICE WAIVES ALL LIABILITY OF INFOTECH RELATED TO SUCH USE, PROVIDED THAT INFOTECH HAS MATERIALLY COMPLIED WITH THIS CP/CPS IN PROVIDING THE CERTIFICATE OR SERVICE. INFOTECH'S LIABILITY FOR CERTIFICATES AND SERVICES THAT DO NOT MATERIALLY COMPLY WITH THIS CP/CPS IS LIMITED AS FOLLOWS:

All liability is limited to actual and legally provable damages. Infotech is not liable for: (1) Any indirect, consequential, special, or punitive damages or any loss of profit, revenue, data, or opportunity, even if Infotech is aware of the possibility of such damages; (2) Liability related to fraud or willful misconduct of the Applicant; (3) Liability related to use of a certificate that exceeds the limitations on use, value, or transactions as stated either in the certificate or this CP/CPS; (4) Liability related to the security, usability, or integrity of products not supplied by Infotech, including the Subscriber's and Relying Party's hardware; or (5) Liability related to the compromise of a Subscriber's Private Key.

The limitations in this section apply to the maximum extent permitted by law and apply regardless of (i) the reason for or nature of the liability, including tort claims, (ii) the number of claims of liability, (iii) the extent or nature of the damages, (iv) whether Infotech failed to follow any provision of this CP/CPS, or (v) whether any provision of this CP/CPS was proven ineffective. The disclaimers and limitations on liabilities in this CP/CPS are fundamental terms to the use of Infotech's certificates and services.

9.8.1 Indemnification by Infotech

Infotech shall not agree to any indemnification obligations unless expressly stated in another agreement with the party to be indemnified.

9.8.2 Indemnification by Subscribers

To the extent permitted by law, each Subscriber shall indemnify Infotech, its partners, and any cross-signed entities, and their respective directors, officers, employees, agents, and contractors against any loss, damage, or expense, including reasonable attorney's fees, related to (i) any misrepresentation or omission of material fact by Subscriber, regardless of whether the misrepresentation or omission was intentional or unintentional; (ii) Subscriber's breach of the Subscriber Agreement, this CP/CPS, or applicable law; (iii) the compromise or unauthorized use of a certificate or Private Key caused by the Subscriber's negligence or intentional acts; or (iv) Subscriber's misuse of the certificate or Private Key.

9.8.3 Indemnification by Relying Parties

To the extent permitted by law, each Relying Party shall indemnify Infotech, its partners, and any cross-signed entities, and their respective directors, officers, employees, agents, and contractors against any loss, damage, or expense, including reasonable attorney's fees, related to the Relying Party's (i) breach of the Relying Party Agreement, an End-User License Agreement, this CP/CPS, or applicable law; (ii)

unreasonable reliance on a certificate; or (iii) failure to check the certificate's status prior to use.

9.9 Term and Termination

9.9.1 Term

This CP/CPS and any amendments to the CP/CPS are effective when published to Infotech's online repository and remain in effect until replaced with a newer version.

9.9.2 Termination

This CP/CPS and any amendments remain in effect until replaced by a newer version.

9.9.3 Effect of Termination and Survival

Infotech will communicate the conditions and effect of this CP/CPS's termination via the Infotech Repository. The communication will specify which provisions survive termination. At a minimum, all responsibilities related to protecting confidential information will survive termination. All Subscriber Agreements remain effective until the certificate is revoked or expired, even if this CP/CPS terminates.

9.10 Individual Notices and Communications with Participants

Infotech accepts notices related to this CP/CPS at the locations specified in Section 2.2 *supra*. Notices are deemed effective after the sender receives a valid and digitally signed acknowledgment of receipt from Infotech. If an acknowledgment of receipt is not received within five days, the sender must resend the notice in paper form to the street address specified in Section 2.2 using either a courier service that confirms delivery or via certified or registered mail with postage prepaid and return receipt requested. Infotech may allow other forms of notice in its Subscriber Agreements.

9.11 Amendments

9.11.1 Procedure for Amendment

This CP/CPS is reviewed from time to time, but at least annually. Amendments are made by posting an updated version of the CP/CPS to the online repository. Controls are in place to reasonably ensure that this CP/CPS is not amended and published without the prior authorization of Infotech

9.11.2 Notification Mechanism and Period

Infotech posts CP/CPS revisions to its website. Infotech does not guarantee or set a notice-and-comment period and may make changes to this CP/CPS without notice and without changing the version number. Major changes affecting accredited certificates are announced and approved by the accrediting agency prior to becoming effective. Infotech is responsible for determining what constitutes a material change of the CP/CPS

9.11.3 Circumstances Under Which OID Must be Changed

Infotech is solely responsible for determining whether an amendment to the CP/CPS requires an OID change.

9.12 Dispute Resolution Provisions

Parties are required to notify Infotech and attempt to resolve disputes directly with Infotech before resorting to any dispute resolution mechanism, including adjudication or any type of alternative dispute resolution

9.13 Governing Law

This CP/CPS is governed by the laws of the State of Florida without regard to the state's conflict of laws provisions. Any action brought against Infotech arising from the operation of the policies and procedures described in this CP/CPS can only be brought in the applicable state or federal courts located in Alachua County, Florida.

9.14 Compliance with Applicable Law

This CP/CPS is subject to all applicable laws and regulations, including United States restrictions on the export of software and cryptographic products. Subject to section 9.4.5's Notice and Consent to Use Private Information contained in Certificates, Infotech has established appropriate technical and organizational measures against unauthorized or unlawful processing of personal data and against the loss, damage, or destruction of personal data.

9.15 Miscellaneous Provisions

9.15.1 Entire Agreement

In the absence of another express agreement with Infotech, this CP/CPS states the entirety of the rights and obligations of Infotech and any entity that may have rights or obligations arising from the operation of the policies and procedures described in this CP/CPS.

9.15.2 Assignment

No entity with rights or obligations arising from the operation of the policies in this CP/CPS may assign those rights or obligations without the prior written approval of Infotech.

9.15.3 Severability

If any provision of this CP/CPS is adjudicated by a court or other tribunal of competent jurisdiction to be unenforceable, the remainder of this CP/CPS will remain valid and enforceable,

9.15.4 Enforcement (Attorneys' Fees and Waiver of Rights)

Infotech may seek indemnification and attorneys' fees from a party for damages, losses, and expenses related to that party's conduct. Infotech's failure to enforce a provision of this CP/CPS does not waive Infotech's right to enforce the same provision later or right to enforce any other provision of this CP/CPS. To be effective, waivers must be in writing and signed by Infotech.

9.15.5 Force Majeure

Infotech is not liable for any delay or failure to perform an obligation under this CPS to the extent that the delay or failure is caused by an occurrence beyond Infotech's reasonable control. The operation of the Internet is beyond Infotech's reasonable control.